

SFI-CW-1
Date:

CW / HW COILS





SFI
COILS

PH (800) 430-2536

FAX (800) 718-3738

www.SFICOILS.com



ITEM	QTY	TAG:	ROW	FPI	FH	FL	A	B	CH	OL	G	CD	S	HA	HB	CT	CB	HD	CKT	HAND
1																				
2																				
3																				
4																				



FINS		TUBES		CASING		CONNECTIONS				NOTES:		
<input type="checkbox"/> ALUM	<input type="checkbox"/> CU	<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 16 GA	<input type="checkbox"/> 18 GA	<input type="checkbox"/> CU	<input type="checkbox"/> STEEL	<input type="checkbox"/> MPT	<input type="checkbox"/> FPT		<input type="checkbox"/> SWEAT	
<input type="checkbox"/> CORR	<input type="checkbox"/> FLAT	<input type="checkbox"/> .017	<input type="checkbox"/> .020	<input type="checkbox"/> GALV	<input type="checkbox"/> SS	ITEM	SUPPLY	RETURN	HDR DIA			
<input type="checkbox"/> .006	<input type="checkbox"/> .025	<input type="checkbox"/> .025		FLANGE TYPE		1						
<input type="checkbox"/> .008	<input type="checkbox"/> .032	<input type="checkbox"/> .035		<input type="checkbox"/> STACKING	<input type="checkbox"/> STANDARD	2						
<input type="checkbox"/> .010		<input type="checkbox"/> .049				3						
						4						

SFI-CW-2
Date:

CW / HW COILS



PH (800) 430-2536
FAX (800) 718-3738
www.SFICOILS.com



FH=FINNED HEIGHT
FL=FINNED LENGTH

CKT= CIRCUITING:
COUNT # OF TUBES FEEDING
INTO EITHER HEADER

ITEM	QTY	TAG:	ROW	FPI	FH	FL	A	B	CH	OL*	G	CD	S	HA	HB	CT	CB	HD	CKT	HAND
1																				
2																				
3																				
4																				


FINS		TUBES		CASING		CONNECTIONS				NOTES:		
<input type="checkbox"/> ALUM	<input type="checkbox"/> CU	<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 16 GA	<input type="checkbox"/> 18 GA	<input type="checkbox"/> CU	<input type="checkbox"/> STEEL	<input type="checkbox"/> MPT	<input type="checkbox"/> FPT		<input type="checkbox"/> SWEAT	
<input type="checkbox"/> CORR	<input type="checkbox"/> FLAT	<input type="checkbox"/> .017	<input type="checkbox"/> .020	<input type="checkbox"/> GALV	<input type="checkbox"/> SS	ITEM	SUPPLY	RETURN	HDR DIA			
<input type="checkbox"/> .006	<input type="checkbox"/> .025	<input type="checkbox"/> .025		FLANGE TYPE		1						
<input type="checkbox"/> .008	<input type="checkbox"/> .032	<input type="checkbox"/> .035		<input type="checkbox"/> STACKING	<input type="checkbox"/> STANDARD	2						
<input type="checkbox"/> .010	<input type="checkbox"/> .049					3						
						4						

SFI-CW-3
Date:


CW / HW COILS



PH (800) 430-2536
FAX (800) 718-3738
www.SFICOILS.com



FH=FINNED HEIGHT
FL=FINNED LENGTH



CKT= CIRCUITING:
COUNT # OF TUBES FEEDING
INTO EITHER HEADER

ITEM	QTY	TAG:	ROW	FPI	FH	FL	A	B	CH	OL*	G	CD	S	HA	HB	CT	CB	HD	CKT	HAND
1																				
2																				
3																				
4																				


FINS		TUBES		CASING		CONNECTIONS				NOTES:		
<input type="checkbox"/> ALUM	<input type="checkbox"/> CU	<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 16 GA	<input type="checkbox"/> 18 GA	<input type="checkbox"/> CU	<input type="checkbox"/> STEEL	<input type="checkbox"/> MPT	<input type="checkbox"/> FPT		<input type="checkbox"/> SWEAT	
<input type="checkbox"/> CORR	<input type="checkbox"/> FLAT	<input type="checkbox"/> .017	<input type="checkbox"/> .020	<input type="checkbox"/> GALV	<input type="checkbox"/> SS	ITEM	SUPPLY	RETURN	HDR DIA			
<input type="checkbox"/> .006	<input type="checkbox"/> .025	<input type="checkbox"/> .025		FLANGE TYPE		1						
<input type="checkbox"/> .008	<input type="checkbox"/> .032	<input type="checkbox"/> .035		<input type="checkbox"/> STACKING	<input type="checkbox"/> STANDARD	2						
<input type="checkbox"/> .010	<input type="checkbox"/> .049					3						
						4						

SFI-CW-4
Date:


CW / HW COILS



PH (800) 430-2536
FAX (800) 718-3738
www.SFICOILS.com



FLANGE A1 BLOCKS AIRFLOW PAST RETURN BENDS
FLANGE A2 BLOCKS AIRFLOW PAST HDRS



ITEM	QTY	TAG:	ROW	FPI	FH	FL	A	B	CH	OL	G	CD	S	HA	HB	CT	CB	HD	CKT	HAND
1																				
2																				
3																				
4																				



FINS		TUBES		CASING		CONNECTIONS				NOTES:		
<input type="checkbox"/> ALUM	<input type="checkbox"/> CU	<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 16 GA	<input type="checkbox"/> 18 GA	<input type="checkbox"/> CU	<input type="checkbox"/> STEEL	<input type="checkbox"/> MPT	<input type="checkbox"/> FPT		<input type="checkbox"/> SWEAT	
<input type="checkbox"/> CORR	<input type="checkbox"/> FLAT	<input type="checkbox"/> .017	<input type="checkbox"/> .020	<input type="checkbox"/> GALV	<input type="checkbox"/> SS	ITEM	SUPPLY	RETURN	HDR DIA			
<input type="checkbox"/> .006	<input type="checkbox"/> .025	<input type="checkbox"/> .025		FLANGE TYPE		1						
<input type="checkbox"/> .008	<input type="checkbox"/> .032	<input type="checkbox"/> .035		<input type="checkbox"/> STACKING	<input type="checkbox"/> STANDARD	2						
<input type="checkbox"/> .010	<input type="checkbox"/> .049					3						
						4						

SFI-CW-5
Date:

CW / HW COILS



PH (800) 430-2536
FAX (800) 718-3738
www.SFICOILS.com



ITEM	QTY	TAG:	ROW	FPI	FH	FL	A1	A2	B	CH	OL	G	CD	S	HA	HB	CT	CB	HD	CKT	CONFIG
1																					
2																					
3																					
4																					

FINS		TUBES		CASING		CONNECTIONS				NOTES:					
<input type="checkbox"/> ALUM	<input type="checkbox"/> CU	<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 16 GA	<input type="checkbox"/> 18 GA	<input type="checkbox"/> CU	<input type="checkbox"/> STEEL	<input type="checkbox"/> MPT	<input type="checkbox"/> FPT		<input type="checkbox"/> SWEAT				
<input type="checkbox"/> CORR	<input type="checkbox"/> FLAT	<input type="checkbox"/> .017	<input type="checkbox"/> .020	<input type="checkbox"/> GALV	<input type="checkbox"/> SS	ITEM	SUPPLY	RETURN	HDR DIA						
<input type="checkbox"/> .006	<input type="checkbox"/> .025	<input type="checkbox"/> .025	FLANGE TYPE												
<input type="checkbox"/> .008	<input type="checkbox"/> .032	<input type="checkbox"/> .035	<input type="checkbox"/> STACKING	<input type="checkbox"/> STANDARD											
<input type="checkbox"/> .010	<input type="checkbox"/> .049														

SFI-CW-6
Date:

**CW / HW COILS
FACE SPLIT**





SFI
COILS

PH (800) 430-2536

FAX (800) 718-3738

www.SFICOILS.com



ITEM	QTY	TAG:	ROW	FPI	FH	FL	A	B	CH	OL	G	CD	S	HA	HB	CT	CB	HD	CKT	HAND
1																				
2																				
3																				
4																				



FINS		TUBES		CASING		CONNECTIONS			NOTES:			
<input type="checkbox"/> ALUM	<input type="checkbox"/> CU	<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 16 GA	<input type="checkbox"/> 18 GA	<input type="checkbox"/> CU	<input type="checkbox"/> STEEL	<input type="checkbox"/> MPT		<input type="checkbox"/> FPT	<input type="checkbox"/> SWEAT	
<input type="checkbox"/> CORR	<input type="checkbox"/> FLAT	<input type="checkbox"/> .017	<input type="checkbox"/> .020	<input type="checkbox"/> GALV	<input type="checkbox"/> SS	ITEM	SUPPLY	RETURN		HDR DIA		
<input type="checkbox"/> .006	<input type="checkbox"/> .025	<input type="checkbox"/> .025		FLANGE TYPE		1						
<input type="checkbox"/> .008	<input type="checkbox"/> .032	<input type="checkbox"/> .035		<input type="checkbox"/> STACKING	<input type="checkbox"/> STANDARD	2						
<input type="checkbox"/> .010	<input type="checkbox"/> .049					3						
						4						

SFI-CW-7
Date:

CW / HW COILS



PH (800) 430-2536
FAX (800) 718-3738
www.SFICOILS.com



ITEM	QTY	TAG:	ROW	FPI	FH	FL	A	B	CH	OL	G	CD	S	HA	HB	CT	CB	HD	CKT	HAND
1																				
2																				
3																				
4																				

FINS		TUBES		CASING		CONNECTIONS				NOTES:		
<input type="checkbox"/> ALUM	<input type="checkbox"/> CU	<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 16 GA	<input type="checkbox"/> 18 GA	<input type="checkbox"/> CU	<input type="checkbox"/> STEEL	<input type="checkbox"/> MPT	<input type="checkbox"/> FPT		<input type="checkbox"/> SWEAT	
<input type="checkbox"/> CORR	<input type="checkbox"/> FLAT	<input type="checkbox"/> .017	<input type="checkbox"/> .020	<input type="checkbox"/> GALV	<input type="checkbox"/> SS	ITEM	SUPPLY	RETURN	HDR DIA			
<input type="checkbox"/> .006	<input type="checkbox"/> .025	<input type="checkbox"/> .025		FLANGE TYPE		1						
<input type="checkbox"/> .008	<input type="checkbox"/> .032	<input type="checkbox"/> .035		<input type="checkbox"/> STACKING	<input type="checkbox"/> STANDARD	2						
<input type="checkbox"/> .010	<input type="checkbox"/> .049					3						
						4						

SFI-CW-8

Date:



CW / HW COILS



PH (800) 430-2536

FAX (800) 718-3738

www.SFICOILS.com



ITEM	QTY	TAG:	ROW	FPI	FH	FL	A	B	CH	OL	G	CD	S	HA	HB	CT	CB	HD	CKT	HAND
1																				
2																				
3																				
4																				

FINS		TUBES		CASING		CONNECTIONS				NOTES:		
<input type="checkbox"/> ALUM	<input type="checkbox"/> CU	<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 16 GA	<input type="checkbox"/> 18 GA	<input type="checkbox"/> CU	<input type="checkbox"/> STEEL	<input type="checkbox"/> MPT	<input type="checkbox"/> FPT		<input type="checkbox"/> SWEAT	
<input type="checkbox"/> CORR	<input type="checkbox"/> FLAT	<input type="checkbox"/> .017	<input type="checkbox"/> .020	<input type="checkbox"/> GALV	<input type="checkbox"/> SS	ITEM	SUPPLY	RETURN	HDR DIA			
<input type="checkbox"/> .006	<input type="checkbox"/> .025	<input type="checkbox"/> .025		FLANGE TYPE		1						
<input type="checkbox"/> .008	<input type="checkbox"/> .032	<input type="checkbox"/> .035		<input type="checkbox"/> STACKING	<input type="checkbox"/> STANDARD	2						
<input type="checkbox"/> .010		<input type="checkbox"/> .049				3						
						4						