

SFI-HGRH-1

Date:


HOT GAS REHEAT



PH (800) 430-2536

FAX (800) 718-3738

www.SFICOILS.com



ITEM	QTY	TAG:	ROW	FPI	FH	FL	A	B	CH	OL	G	CD	S	HA	HB	CT	CB	HD	CKT	HAND
1																				
2																				
3																				
4																				

FINS <input type="checkbox"/> ALUM <input type="checkbox"/> CU <input type="checkbox"/> CORR <input type="checkbox"/> FLAT <input type="checkbox"/> .006 <input type="checkbox"/> .008 <input type="checkbox"/> .010		TUBES <input type="checkbox"/> 3/8 <input type="checkbox"/> 1/2 <input type="checkbox"/> 5/8 <input type="checkbox"/> .016 <input type="checkbox"/> .017 <input type="checkbox"/> .020 <input type="checkbox"/> .020 <input type="checkbox"/> .025 <input type="checkbox"/> .025 <input type="checkbox"/> .025 <input type="checkbox"/> .032 <input type="checkbox"/> .035 <input type="checkbox"/> .049		CASING <input type="checkbox"/> 16 GA <input type="checkbox"/> 18 GA <input type="checkbox"/> GALV <input type="checkbox"/> SS FLANGE TYPE <input type="checkbox"/> STACKING <input type="checkbox"/> STANDARD <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		CONNECTIONS <input type="checkbox"/> COPPER <input type="checkbox"/> SWEAT INLET OUTLET HDR DIA		NOTES: 1) Hot gas reheat duty 2) Ship with nitrogen holding charge COIL CIRCUITING:													
--	--	--	--	---	--	--	--	---	--	--	--	--	--	--	--	--	--	--	--	--	--

SFI-HGRH-2

Date:

**HOT GAS REHEAT COILS
FACE SPLIT, NO HEADERS**




SFI
COILS

PH (800) 430-2536

FAX (800) 718-3738

www.SFICOILS.com



One Row Shown

ITEM	QTY	TAG:	ROW	FPI	FH	FL	A	B	CH	OL	G	CD	S	HA	HB	CT	CB	HD	HAND
1																			
2																			

FINS		TUBES		CASING		CONNECTIONS - COPPER SWEAT			NOTES:
						CONNX SIZE		HEADER SIZE	
<input type="checkbox"/> ALUM	<input type="checkbox"/> CU	<input type="checkbox"/> 3/8	<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 16 GA	<input type="checkbox"/> 18 GA			
<input type="checkbox"/> CORR	<input type="checkbox"/> FLAT	<input type="checkbox"/> .016	<input type="checkbox"/> .017	<input type="checkbox"/> .020	<input type="checkbox"/> GALV	<input type="checkbox"/> SS	ITEM 1	INLET	
<input type="checkbox"/> .006		<input type="checkbox"/> .020	<input type="checkbox"/> .025	<input type="checkbox"/> .025	FLANGE TYPE			OUTLET	
<input type="checkbox"/> .008		<input type="checkbox"/> .025	<input type="checkbox"/> .032	<input type="checkbox"/> .035	<input type="checkbox"/> STACKING	<input type="checkbox"/> STANDARD	ITEM 2	INLET	
<input type="checkbox"/> .010				<input type="checkbox"/> .049	<input type="checkbox"/>	<input type="checkbox"/>		OUTLET	
									COIL CIRCUITING:

SFI-HGRH-3

Date:

HOT GAS REHEAT COILS




SFI
COILS

PH (800) 430-2536

FAX (800) 718-3738

www.SFICOILS.com



ITEM	QTY	TAG:	ROW	FPI	FH	FL	A	B	CH	OL	G	CD	S	HA	HB	CT	CB	HD	HAND
1																			
2																			

FINS		TUBES			CASING				CONNECTIONS - COPPER SWEAT				NOTES:				
									CONNX SIZE		HEADER SIZE						
<input type="checkbox"/> ALUM	<input type="checkbox"/> CU	<input type="checkbox"/> 3/8	<input type="checkbox"/> 1/2	<input type="checkbox"/> 5/8	<input type="checkbox"/> 16 GA	<input type="checkbox"/> 18 GA	FLANGE TYPE <input type="checkbox"/> STACKING <input type="checkbox"/> STANDARD		ITEM 1	INLET			COIL CIRCUITING:				
<input type="checkbox"/> CORR	<input type="checkbox"/> FLAT	<input type="checkbox"/> .016	<input type="checkbox"/> .017	<input type="checkbox"/> .020	<input type="checkbox"/> GALV	<input type="checkbox"/> SS			ITEM 2	INLET							
<input type="checkbox"/> .006		<input type="checkbox"/> .020	<input type="checkbox"/> .025	<input type="checkbox"/> .025	<input type="checkbox"/> <input type="checkbox"/>		ITEM 1	OUTLET									
<input type="checkbox"/> .008		<input type="checkbox"/> .025	<input type="checkbox"/> .032	<input type="checkbox"/> .035			ITEM 2	OUTLET									
<input type="checkbox"/> .010				<input type="checkbox"/> .049													